Maryland University of Integrative Health General Safety Information for Herbs

Side effects

The historical record and modern research indicate that the herbs most often used for healthcare have an exceptional safety record. However, adverse events can occur after using any active substance. Side effects that have occasionally been reported after using herbs include headaches, skin rashes and digestive upsets. Such effects generally resolve rapidly, especially if the dosage is reduced or the herb is stopped. Allergic reactions are also very rare but have been reported, usually in individuals with contact allergy to specific plants. Your herbalist may be able to propose measures to reduce any discomforts or may refer you to a licensed practitioner.

Herb-drug interaction

Although speculative interactions between herbs and drugs are sometimes publicized, confirmed cases are rare. Nevertheless, some prescribed drugs are very strong and have a narrow range of safe dosage, which makes any interaction more risky. It is

the responsibility of the clients to disclose fully any medications currently in use, including other herbs and supplements, so that they can be offered informed advice. Clients also are expected to inform their physicians of any herbs or supplements they are using. Any suggestion that the effect of a drug is being altered by simultaneous use of an herb should be reported directly to all health professionals involved. It is also advisable to stop taking herbs at least 48 hours before surgical operation, and in the event of being prescribed anticoagulants, antiepileptic drugs, and digoxin until expert advice is received.			
not expose clients to plant of the liver and kidneys, and it	oses known to have toxic effects will be important for the client to ed in pregnancy or lactation with	The organs that are mod divulge any previous histo	ith the literature on herbal safety. We will st vulnerable to any potent substances are bry of disease in either of these organs. ents who become pregnant should stop
Print Name	Signature	Date	
record. However, adverse e after using herbs include he dosage is reduced or the he	General Safety odern research indicate that the hevents can occur after using any adaches, skin rashes and digestions is stopped. Allergic reactions	active substance. Side ef ve upsets. Such effects g are also very rare but hav	
some prescribed drugs are the responsibility of the clier they can be offered informe using. Any suggestion that the alth professionals involve	very strong and have a narrow ra hts to disclose fully any medicatio d advice. Clients also are expect he effect of a drug is being altere	nge of safe dosage, which ns currently in use, includ ed to inform their physicia d by simultaneous use of ng herbs at least 48 hour	confirmed cases are rare. Nevertheless, h makes any interaction more risky. It is ling other herbs and supplements, so that ans of any herbs or supplements they are an herb should be reported directly to all s before surgical operation, and in the advice is received.
not expose clients to plant of the liver and kidneys, and it	oses known to have toxic effects will be important for the client to ed in pregnancy or lactation with	The organs that are mod divulge any previous histo	ith the literature on herbal safety. We will st vulnerable to any potent substances are bry of disease in either of these organs. ents who become pregnant should stop
Print Name	Signature		 Date